



GUARANTEED ANALYSIS

TOTAL NITROGEN (N). 24.0% Urea Nitroge SOLUBLE POTASH (K2O) . Primary Plant Foods Derived from: Urea, Poly Coated Sulfur Coated Urea and Muriate of Potash. Iron derived from Iron Oxy-sulfate. * 4.8% slowly available urea nitrogen from poly coated sulfur coated urea

Keep this product off sidewalks, patios, driveways, etc. This fertilizer contains iron which will stain concrete and painted surfaces. If it comes in contact with concrete surface, sweep off immediately before flushing with water. If concrete is wet when contact occurs, staining may be impossible to prevent. Be careful when using rotary spreaders which scatter fertilizer beyond lawn edge and onto concrete.

SPREADER SETTINGS

MOADCAST SPREADER	DROF SPREADER
yriFab (0-10)4	AgriFab
napin (0-30) 12	Craftsman
napin 8000A (0-5)1.5	Earthway EV-N-Sp
aftsman (0-10) 4	Lawncrafters
rthway EV-N-Spread(0-30) 12	Precision
otts Basic (0-15) 4.5	Red Devil
otts Standard (0-15) 4.5	Scotts AccuGreen
otts Deluxe EdgeGuard (0-15) 4.5	Scotts AccuGreen
otts Easy Green26	Scotts AccuGreen
otts Speedy Green5.75	Scotts Even Green

READ THE ENTIRE LABEL FIRST. OBSERVE ALL PRECAUTIONS AND FOLLOW DIRECTIONS CAREFULLY.

PRECAUTIONARY STATEMENTS Hazards to Humans and Domestic Animals
CAUTION: Harmful if swallowed. Harmful if absorbed through skin. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before reuse.

If swallowed: • Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able • Do not induce vomiting unless told to do

so by a poison control center or doctor. Do not give anything by mouth to an unconscious person. Take off contaminated clothing. Rinse skin immediately with plenty of or clothing:

water for 15 - 20 minutés. Call a poison control center or doctor for treatment advice. Hold eye open and rinse slowly and gently with water for 15 - 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.

Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact 1-877-800-5556 for emergency medical treatment information.

Call a poison control center or doctor for

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish and aquatic invertebrates and may adversely affect non-target plants. Do not apply directly to water. Do not contaminate water when disposing of

treatment advice.

equipment washwaters or rinsate.

This chemical has properties and characteristics associated with chemicals detected in groundwater. The use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination. Application around a cistern or well may result in contamination of drinking water or groundwater.

DIRECTIONS FOR USE It is a violation of Federal law to use this product in a manner inconsistent with its labeling. **USE RESTRICTIONS:**

•Do not apply this product in a way that will contact any person or pet, either directly or through drift. Keep people and pets out of the area during application. •Do not allow people or pets to enter the treated area until •Do not use this product on or near desirable plants, including within the dripline of the roots of desirable trees and shrubs,

since injury may result. •Do not apply directly to or near water, storm drains, gutters sewers, or drainage ditches. Do not apply within 25 feet of rivers, fish ponds, lakes, streams, reservoirs, marshes, estuaries, bays, and oceans. Do not apply when windy. Apply this product directly to your lawn or garden, and sweep any product landing on the driveway, sidewalk, gutter, or street, back onto the treated area. To prevent product run-off, do not overwater the treated area to the point of runoff or apply when raining or when rain is expected that day. Do not use on dichondra, carpetgrass, or St. Augustinegrass.
Do not use this product where desirable clovers are present. Do not apply in areas underlaid by roots of desirable trees or shrubs. Apply when the air is calm. Do not apply to newly seeded lawns. During application, close spreader openings when turning.



ARLY SUMMER

CALCULATING TOTAL LAWN AREA $.ENGTH \times WIDTH = TOTAL SQ. FT.$ then subtract NON-LAWN AREA (House, Garden, Driveway) SPREADING PATTERNS First spread the borders of your law

ALLOW 6 WEEKS BETWEEN APPLICATIONS

Then spread the center by spreading in straight line passes. Spread at a uniform walking speed to insure even coverage. Always apply with a properly calibrated rotary or drop type fertilizer spreader to distribute the

This product is a combination of three proven weed killers -2,4-D, Mecoprop-p and Dicamba. Together, they control a wide range of lawn weeds, including dandelion, chickweed, knotweed, plantain, henbit, spurge and many others commonly found in home lawns. In addition, a 24-0-4 fertilizer provides a supply of plant nutrients. Possible retreatment may be necessary if (a) lawn is heavily overrun by weeds, or, (b) if adverse low moisture conditions prevail and weeds are in a state of poor growth.

Apply 3.2 pounds of product per 1,000 square feet of turfgrass. A second application may be made in 30 days. The maximum broadcast application rate is 3.2 pounds of product per 1,000 sq.ft. per application. The maximum number of broadcast applications is limited to 2 per year with a minimum of 30 days between applications. The maximum seasonal rate is 6.4 pounds of product per 1,000 sq.ft.

WHEN TO APPLY: Apply when broadleaf weeds are actively growing in spring or early fall. VHAT TO EXPECT: Weed stems and leaves will begin to twist and curl in a few days, but a month or more may be required for complete control. This product will not prevent weed seeds from producing

1. Mow lawn to normal height 1 to 2 days before

2. Water lawn thoroughly at least 1 to 2 days before application to sustain moisture until the next watering (see step 5).

3. Apply when weeds are young and actively growing, preferably in the morning when dew is on the grass. If grass is not moist at time of application, sprinkle lightly with water to hold the material and prevent dust drift onto

4. Avoid applying when temperatures are consistently above 90°F.

5. Do not wash from weed leaves for 1 to 2 days after application. At this time, a thorough watering should be made.

CALIBRATION INSTRUCTIONS: To provide proper distribution, calibrate spreader before For 3.2 pounds of product per 1,000 square feet of turfgrass:

Check your spreader on 310 square feet and adjust to apply at the rate of 1 pound of product per 310 square feet. **DISTRIBUTION AND SPREADER PATTERNS:** Always apply with a properly calibrated rotary or drop type fertilizer spreader to distribute the granules evenly. Never

- CONTROLS OVER 200 BROADLEAF WEEDS! -

allower milkweed bullercup Clover, while false sur	an yellow sweetclover ian fieldcress traw arriticks 1y, Florida veed, field veetch wintercress cress, hairy weed -eyed Susan -medic -mustard seed plantain ed thistle	Blue lettuce Blue vervain Bracted plantain Bristly oxtongue Broadleaf dock Broadleaf dock Broadleaf plantain Broomweed Buckhorm Buckhorm Buckhorm plantain Bulbous buttercup Bull thistle Bullnestle Burlcover Burdock Burning nettle Bunweed	Buildriweed Canada thistile Carolina geranium Carpetweed Catchweed bedstraw Catnip Catsear Chickweed, common Chickweed, mouseear Chicory Cinquefoil Clover, crimson Clover, lop Clover, red Clover, strawberry Clover, sweet	Cookle Cooklebur Common mull Creeping jenn Cudweed Curly dock Daisy, English Daisy fleabane Daisy, oxeye Dandelion Dichondra Dogfennel Dollarweed Elderberry False dandelio Falseflax
	fflower milkweed	Buttercup	Clover, white	False sunflower

ANNOTHE

LAWNCARE PROGRAM

results, simply mail the sales receipt, a brief description of the problem and your contact information to the address listed below for a refund of the purchase price of the product. EC Grow ■ PO Box 837

Eau Claire, WI 54702 Narrowleaf plantain
Narrowleaf vetch
Nettle
Orange hawkweed
Oriental cocklebur
Oxalis
Parsley-piert
Parsnip
Pearlwort
Pennycress
Pepperweed
Pineywoods bedstraw
Plains coreopsis
Plantain
Poison oak
Pokeweed
Poorjoe
Praine sunflower
Prickly lettuce
Prickly lettuce
Prickly istia
Prostrate knotweed
Prostrate spurge
Prostrate spurge
Prostrate spurge
Prostrate spurge
Prostrate vervain
Puncturevine
Purslane, common
Ragweed
Red sorrel Virginia creeper
Virginia pepperwect
Virginia pepperwect
Vavyleaf bullthistle
Western clematis
Western salsify
White mustard
Wild aster
Wild buckwheat
Wild carrot
Wild four-o'clock
Wild garlic
Wild geranium
Wild lettuce
Wild marigold
Wild mustard
Wild onion
Wild parsnip
Wild radish
Wild rape
Wild strawberry
Wild sweet potato
Wild vetch
Woodsorrel
Woolly crotion
Woolly crotion
Woolly plantain Russian pigweed
Russian thistle
Scarlet pimpernel
Scotch thistle
Sheep sorrel
Shepherdspurse
Slender plantain
Smallflower galinsoga
Smooth dock
Smooth pigweed
Sorrel
Sowristle
Spanishneedles
Speedwell
Spiny amaranth
Spiny coxdebur
Spiny sowthistle
Spotted spurge
Spotted spurge
Spotted spurge
Spurweed
Stinging nettle
Strawberry, India mock
Tall nettle
Tall vervain
Tansy ragwort
Tansy mustard
Tansy mustard
Tanweed
Trialling crownvetch
Tumble mustard
Tumble pigweed
Velvetlear
Venice mallow Lembsquarters
Lespedeza
Mallow
Matchweed
Mexicanweed
Milk vetch
Morningglory
Mouseear hawkweed
Mugwort
Musk thistle Wormseed Yarrow Yellow rocket Yellowflower pepperweed

STORAGE & DISPOSAL

Hoary cress Hoary plantain Hoary vervain Horsenettle Jimsonweed Knawel Knotweed Kochia

PESTICIDE STORAGE: Store in original container in a locked storage area inaccessible to children and domestic PESTICIDE DISPOSAL AND CONTAINER HANDLING: Nonrefillable container. Do not reuse or refill this container. f empty: Place in trash or offer for recycling if available. f partly filled: Call your local solid waste agency for disposal

LIMITED WARRANTY AND DISCLAIMER The manufacturer warrants only that the chemical composition of this product conforms to the ingredient statement given on the label, and that the product is reasonably suited for the labeled use when applied according

instructions. Never place unused product down any indoor or

to the Directions for Use. TO THE EXTENT ALLOWED BY LAW. THE MANUFACTURER NEITHER MAKES NOR INTENDS ANY OTHER EXPRESS OR IMPLIED WARRANTIES, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE EXPRESSLY DISCLAIMED. This limited warranty does not extend to the use of the product inconsistent with label instructions, warnings or cautions, or to use of the product under abnormal conditions such as drought, excessive rainfall, tornadoes, hurricanes, etc. These factors are beyond the control of the manufacturer or the seller. Any damages arising from a breach of the manufacturer's warranty shall be limited to direct damages, and shall not include indirect or consequential damages such as loss of profits or values, except as otherwise provided by law.

To the extent allowed by law, the terms of this Limited Warranty and Disclaimer cannot be varied by any written or verbal statements or agreements. No employee or agent of the seller is authorized to vary or exceed the terms of this Limited Warranty and Disclaimer in any manner.

DISTRIBUTED **AND GUARANTEED BY EAU CLAIRE COOP OIL CO.** P.O. Box 837

Eau Claire, WI 54702 For more information on this and other products, see us on the web at www.ecgrow.com

FPO UPC 0 2437897092 5

Doc.# RP2217-070-19-16

Prepared By Direct Plastics

Eau Claire Max Lawn 16lb Weed and Feed 24-0-4 720-2010B

20.5"ID